



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/750,012	12/31/2003	Suresh Rajgopal	03-LJ-017	9337

30425 7590 10/07/2010  
STMICROELECTRONICS, INC.  
MAIL STATION 2346  
1310 ELECTRONICS DRIVE  
CARROLLTON, TX 75006

EXAMINER
----------

ZHU, BO HUI ALVIN

ART UNIT	PAPER NUMBER
----------	--------------

2465

NOTIFICATION DATE	DELIVERY MODE
-------------------	---------------

10/07/2010

ELECTRONIC

**Please find below and/or attached an Office communication concerning this application or proceeding.**

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

angie.rodriguez@st.com  
ip.us@st.com

<b>Office Action Summary</b>	<b>Application No.</b> 10/750,012	<b>Applicant(s)</b> RAJGOPAL ET AL.	
	<b>Examiner</b> BO HUI A. ZHU	<b>Art Unit</b> 2465	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

### Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

### Status

- 1) ☒ Responsive to communication(s) filed on 14 July 2010.
- 2a) ☒ This action is **FINAL**.                      2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

### Disposition of Claims

- 4) ☒ Claim(s) 1-22 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1-22 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

### Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

### Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All    b) ☐ Some \*    c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
  2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

### Attachment(s)

- |  |   |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892)                                | 4) <input type="checkbox"/> Interview Summary (PTO-413)<br>Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftperson's Patent Drawing Review (PTO-948)                        | 5) <input type="checkbox"/> Notice of Informal Patent Application                       |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08)<br>Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____  |

**DETAILED ACTION**

***Response to Amendment***

1. The amendment filed on July 14, 2010 has been entered.

Claims 1 – 22 are pending.

Claims 1 – 22 are rejected.

.

***Claim Rejections - 35 USC § 103***

2. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

3. Claims 1, 3, 5—14, 16 and 18 - 22 are rejected under 35 U.S.C. 103(a) as being unpatentable over Hariguchi et al. (US 6,665,297) in view of Douceur (US 6,067,547) and further in view of Frank et al. (US 7,194,740).

(1) with regard to claims 1 and 14:

Hariguchi et al. discloses a system and method, comprising: a plurality of hash tables (82-8 -- 82-32 on Fig. 2A) each storing prefixes for address lookups; and a content addressable memory (80 on Fig. 2A) storing at least some prefixes for which a collision occurs within at least one of the hash tables (column 6, lines 31 – 39); and a hashing lookup search mechanism that comprises a routing table (40 on Fig. 2A) implemented with selective hashing for a plurality of prefixes with different lengths

Art Unit: 2465

(column 5, lines 20 – 24); and a plurality of memory blocks (memory blocks in each hash bucket 160), wherein each hash table is allocated a group of the memory blocks. (column 6, line 66 – column 7, line 2; column 8, line 56 - column 9, lines 7; each hash circuit comprises a hash bucket which comprises memory blocks for storing route entries, see 160 on Fig. 4; memory blocks are inherent because each hash bucket stores route entries such as network addresses); and a configuration register (mask circuit, 154 on Fig. 4) associated with each memory block, each configuration register identifying the prefix length to which the respective memory block is allocated (e.g. see column 6, lines 54 – 61).

Hariguchi et al. does not disclose each hash table is allocated a group of the memory blocks based on a size of the respective hash table and a pre-assigned maximum number of allocated blocks.

Douceur teaches a hash table is allocated a group of memory blocks based on a size of the respective hash table (column 19, line 23 – 26; line 62 - 67).

It would have been obvious to one of ordinary skill in the art at the time of the invention to modify the system of Hariguchi to allocate a group of the memory blocks to each hash table based on a size of the respective hash table as suggest by Douceur in order to make use of memory resource more efficient.

Frank et al. teaches allocating memory based on a pre-assigned maximum number of memory (column 5, line 31 – 34).

It would have been obvious to one of ordinary skill in the art at the time of the invention to modify the system of Hariguchi to include the feature of allocating memory

Art Unit: 2465

based on a pre-assigned maximum number of memory as shown in Frank et al. for the purpose of improving efficiency by limiting the memory blocks each hash table can be assigned.

(2) with regard to claims 3 and 16:

Hariguchi et al. does not disclose each hash table is allocated no more than a predefined number of memory blocks.

Frank et al. teaches allocating memory no more than the pre-assigned maximum number of memory blocks (column 5, line 31 – 34).

It would have been obvious to one of ordinary skill in the art at the time of the invention to modify the system of Hariguchi to include the feature of each hash table is allocated no more than a predefined number of memory blocks as shown in Frank et al. for the purpose of improving efficiency by limiting the memory blocks each hash table can be assigned.

(3) with regard to claims 5 and 18:

Hariguchi et al. further discloses each hash table containing different length prefixes (column 5, lines 20 – 31, hash table 70 comprises a plurality of hash circuit 82; each hash circuit 82 determines a match based on a predetermined portion of the address using its associated prefix length).

(4) with regard to claims 6 and 19:

Hariguchi et al. further discloses a priority encoder (172 on Fig. 5) selecting a longest prefix when a plurality of matches occur between different length portions of a

Art Unit: 2465

prefix and prefixes in each of two or more of the plurality of hash tables (column 8, lines 4 – 8)

(5) with regard to claims 7 and 20:

Hariguchi et al. further discloses that the plurality of hash tables contain only a subset of different length prefixes possible under an addressing scheme, and wherein a remainder of the different length prefixes are stored in the content addressable memory (column 6, lines 30 – 39).

(6) with regard to claim 8:

Hariguchi et al. discloses a network router (26 on Fig. 2A) including the address lookup structure according to claim 1, the network router further comprising: a network search engine (70 on Fig. 2A) containing the at least one hash table and coupled to the content addressable memory, the network search engine performing address lookups using the at least one hash table; and an external memory (98 on Fig. 2A) coupled to the network search engine and containing per route information indexed by a next hop index generated by the network search engine.

(7) with regard to claim 9:

Hariguchi et al. discloses a network (20 on Fig. 1) including a plurality of interconnected network routers (26, 28, 30 – 38 on Fig. 1) according to claim 8.

(8) with regard to claim 10:

Hariguchi et al. discloses that a plurality of hash tables, each hash table containing different length prefixes (column 5, lines 20 – 31); each hash table containing different length than prefixes within other hash tables with in the plurality (column 5,

Art Unit: 2465

lines 20 – 31); and the plurality of hash tables collectively containing only a subset of different prefix lengths less than or equal to an address lengths and a remainder of the different address lengths are handled by an additional address lookup facility (column 6, lines 30 – 39); and a hashing search mechanism that comprises a routing table (40 on Fig. 2A) implemented with selective hashing for a plurality of prefixes with different lengths (column 5, lines 20 – 24); and a plurality of memory blocks, wherein each hash table is allocated a group of the memory blocks. (column 6, line 66 – column 7, line 2; column 8, line 56 - column 9, lines 7; each hash circuit comprises a hash bucket which comprises memory blocks for storing route entries, see 160 on Fig. 4; memory blocks are inherent because each hash bucket stores route entries such as network addresses); and a configuration register (mask circuit, 154 on Fig. 4) associated with each memory block, each configuration register identifying the prefix length to which the respective memory block is allocated (e.g. see column 6, lines 54 – 61).

Hariguchi et al. does not disclose each hash table is allocated a group of the memory blocks based on a size of the respective hash table and a pre-assigned maximum number of allocated blocks.

Douceur teaches a hash table is allocated a group of memory blocks based on a size of the respective hash table (column 19, line 23 – 26; line 62 - 67).

It would have been obvious to one of ordinary skill in the art at the time of the invention to modify the system of Hariguchi to allocate a group of the memory blocks to each hash table based on a size of the respective hash table as suggest by Douceur in order to make use of memory resource more efficient.

Frank et al. teaches allocating memory based on a pre-assigned maximum number of memory (column 5, line 31 – 34).

It would have been obvious to one of ordinary skill in the art at the time of the invention to modify the system of Hariguchi to include the feature of allocating memory based on a pre-assigned maximum number of memory as shown in Frank et al. for the purpose of improving efficiency by limiting the memory blocks each hash table can be assigned.

(9) with regard to claim 11:

Hariguchi et al. further discloses the additional address lookup facility comprises a content addressable memory (80 on Fig. 2A; column 6, lines 30 – 39).

(10) with regard to claim 12:

Hariguchi et al. further discloses each of the plurality of hash tables is contained in one or more memory blocks allocated based on hashing of each prefix contained in the respective hash table using at least a first hash function (inherent because hash tables inherently use hash functions), and wherein a remainder of prefixes of a length corresponding to prefixes within the respective hash table are handled by the additional address lookup facility (column 6, lines 30 – 39).

Hariguchi et al. does not disclose a number of memory blocks allocated to the respective hash table does not exceed a predefined number.

Frank et al. teaches allocating memory no more than the pre-assigned maximum number of memory blocks (column 5, line 31 – 34).



It would have been obvious to one of ordinary skill in the art at the time of the invention to modify the system of Hariguchi to include the feature of a number of memory blocks allocated to the respective hash table does not exceed a predefined number as shown in Frank et al. for the purpose of improving efficiency by limiting the memory blocks each hash table can be assigned.

(11) with regard to claim 13:

Hariguchi et al. further discloses a priority encoder (172 on Fig. 5) selecting a longest prefix match from matches identified within the plurality of hash tables (column 8, lines 4 – 8).

(12) with regard to claim 21:

Hariguchi et al. further discloses the configuration register identifies a prefix length between sixteen (16) and thirty-two (32) bits (column 6, line 56 – 61).

(13) with regard to claim 22:

Hariguchi et al. further discloses a configuration register (mask circuit, 154 on Fig. 4) identifies the hash function to which the respective memory block is allocated (e.g. see column 6, lines 54 – 61).

4. Claims 2 and 15 are rejected under 35 U.S.C. 103(a) as being unpatentable over Hariguchi et al. (US 6,665,297) in view of Douceur (US 6,067,547) and further in view of McMahon et al. (US 5,784,699).

(1) with regard to claims 2 and 15:

Art Unit: 2465

Hariguchi et al. in view of Douceur discloses each hash table holds prefixes for which no collision occurs within the hash table (column 6, lines 31 – 39; column 9, lines 12 – 15).

Hariguchi et al. does not disclose each hash table is allocated a smallest number of memory blocks sufficient to hold entries within the hash table.

McMahon et al. teaches allocating a smallest number of memory blocks sufficient for use (column 3, line 54 – 58).

It would have been obvious to one of ordinary skill in the art at the time of the invention to modify the system of Hariguchi to allocate a smallest number of memory blocks sufficient to each hash table as suggest by McMahon et al. in order to make use of memory more efficient.

5. Claims 4 and 17 are rejected under 35 U.S.C. 103(a) as being unpatentable over Hariguchi et al. (US 6,665,297) in view of Delaney et al. (US 2001/0027479) and further in view of Tal et al. (US 6,625,612).

(1) with regard to claims 4 and 17:

Hariguchi et al. further discloses the at least one hash table (70 on Fig. 2A) contains prefixes hashed by one hash functions. Haiguchi et al. does not disclose a second of the two hash functions employed when a collision occurs with a first of the two hash functions.

Art Unit: 2465

Tal et al. teaches using two hash functions and a second of the two hash functions employed when a collision occurs with a first of the two hash functions (column 1, lines 54 – 59).

It would have been desirable to use a second hash function when a collision occurs with a first hash function because it would provide an efficient way to resolve hash collision. Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to include the method as taught by Tal et al. in the system of Hariguchi et al.

### ***Response to Arguments***

6. Applicant's arguments with respect to claims 1 - 22 have been considered but are moot in view of the new ground(s) of rejection necessitated by applicant's amendments. In particular, applicant argues the prior art reference do not teach the claim limitation "a pre-assigned maximum number of memory blocks" as amended. Examiner has changed the rejections to address this claim limitation.

### ***Conclusion***

7. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

Art Unit: 2465

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to BO HUI A. ZHU whose telephone number is (571)-270-1086. The examiner can normally be reached on Mon-Thu 10am-6pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Jay Patel can be reached on (571)-272-2988. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2465

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/B. A. Z./  
Examiner, Art Unit 2465

/Jayanti K. Patel/  
Supervisory Patent Examiner, Art Unit 2465